



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Space Cake

Sample ID: 2607NBL1300.3529

Matrix: Ingestible

Type: Baked Goods

Sample Size:

Date Collected:

Received: 07/23/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#: 296427

Client

TexaKana Organics

Lic. #

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 922-6657 info@txkna.com



Summary

Test	Date Tested	Result
Cannabinoids	07/24/2026	Complete
Residual Solvents	08/03/2026	Complete
Microbials	07/28/2026	Complete
Mycotoxins	08/05/2026	Complete
Pesticides	08/05/2026	Complete
Heavy Metals	08/04/2026	Complete
Foreign Matter	07/23/2026	Not Detected

Cannabinoids

Complete

210.993 mg/unit

Total Δ9-THC

0.2507%

Δ9-THC

ND

Total CBD

210.993 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	8.0143	12.021	ND	ND	ND
9R-HHC	8.0143	12.021	ND	ND	ND
(6aR,9S)-d10-THC	8.0143	12.021	ND	ND	ND
9S-HHC	8.0143	12.021	ND	ND	ND
CBC	8.0143	12.021	ND	ND	ND
CBCa	8.0143	12.021	ND	ND	ND
CBD	8.0143	12.021	ND	ND	ND
CBDa	8.0143	12.021	ND	ND	ND
CBDV	8.0143	12.021	ND	ND	ND
CBDVa	8.0143	12.021	ND	ND	ND
CBG	8.0143	12.021	ND	ND	ND
CBGa	8.0143	12.021	ND	ND	ND
CBN	8.0143	12.021	ND	ND	ND
CBNa	8.0143	12.021	ND	ND	ND
Δ8-THC	8.0143	12.021	ND	ND	ND
Δ9-THC	8.0143	12.021	210.993	2.50734	0.251
THCa	8.0143	12.021	ND	ND	ND
THCp	8.0143	12.021	ND	ND	ND
THCV	8.0143	12.021	ND	ND	ND
THCVa	8.0143	12.021	ND	ND	ND
Total THC			210.993	2.50734	0.251
Total CBD			ND	ND	ND
Total			210.993	2.50734	0.251

Date Tested: 07/24/2026

Unit Mass: 84.150 g; 1 Unit = 1 Brownie

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Space Cake

Sample ID: 2607NBL1300.3529

Matrix: Ingestible

Type: Baked Goods

Sample Size:

Date Collected:

Received: 07/23/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#: 296427

Client

TexaKana Organics

Lic. #

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 922-6657 info@txkna.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.095	0.027		ND	Tested	Fludioxonil	0.091	0.027		ND	Tested
Acephate	0.091	0.027		ND	Tested	Hexythiazox	0.091	0.027		ND	Tested
Acequinocyl	0.091	0.027		ND	Tested	Imazalil	0.091	0.027		ND	Tested
Acetamiprid	0.091	0.027		ND	Tested	Imidacloprid	0.091	0.027		ND	Tested
Aldicarb	0.091	0.027		ND	Tested	Kresoxim Methyl	0.091	0.027		ND	Tested
Azoxystrobin	0.091	0.027		ND	Tested	Malathion	0.091	0.027		ND	Tested
Bifenazate	0.091	0.027		ND	Tested	Metalaxyl	0.091	0.027		ND	Tested
Bifenthrin	0.091	0.027		ND	Tested	Methiocarb	0.091	0.027		ND	Tested
Boscalid	0.091	0.027		ND	Tested	Methomyl	0.091	0.027		ND	Tested
Captan	0.364	0.109		ND	Tested	Mevinphos	0.091	0.027		ND	Tested
Carbaryl	0.091	0.027		ND	Tested	Myclobutanil	0.091	0.027		ND	Tested
Carbofuran	0.091	0.027		ND	Tested	Naled	0.228	0.069		ND	Tested
Chlorantraniliprole	0.091	0.027		ND	Tested	Oxamyl	0.091	0.027		ND	Tested
Chlordane	0.073	0.022		ND	Tested	Paclobutrazol	0.091	0.027		ND	Tested
Chlorfenapyr	0.073	0.022		ND	Tested	Methyl Parathion	0.073	0.022		ND	Tested
Chlormequat	0.091	0.027		ND	Tested	Pentachloronitrobenzene	0.073	0.022		ND	Tested
Chlorpyrifos	0.091	0.027		ND	Tested	Permethrins	0.091	0.027		ND	Tested
Clofentezine	0.091	0.027		ND	Tested	Phosmet	0.091	0.027		ND	Tested
Coumaphos	0.091	0.027		ND	Tested	Piperonyl Butoxide	0.091	0.027		ND	Tested
Cyfluthrin	0.073	0.022		ND	Tested	Prallethrin	0.091	0.027		ND	Tested
Cypermethrin	0.073	0.022		ND	Tested	Propiconazole	0.091	0.027		ND	Tested
Daminozide	0.091	0.027		ND	Tested	Propoxur	0.091	0.027		ND	Tested
Diazinon	0.091	0.027		ND	Tested	Pyrethrins	0.455	0.137		ND	Tested
Dichlorvos	0.046	0.015		ND	Tested	Pyridaben	0.091	0.027		ND	Tested
Dimethoate	0.091	0.027		ND	Tested	Spinetoram	0.091	0.027		ND	Tested
Dimethomorph	0.087	0.027		ND	Tested	Spinosad	0.093	0.027		ND	Tested
Ethoprophos	0.091	0.027		ND	Tested	Spiromesifen	0.091	0.027		ND	Tested
Etofenprox	0.091	0.027		ND	Tested	Spirotetramat	0.091	0.027		ND	Tested
Etoxazole	0.091	0.027		ND	Tested	Spiroxamine	0.091	0.027		ND	Tested
Fenhexamid	0.091	0.027		ND	Tested	Tebuconazole	0.091	0.027		ND	Tested
Fenoxycarb	0.091	0.027		ND	Tested	Thiacloprid	0.091	0.027		ND	Tested
Fenpyroximate	0.091	0.027		ND	Tested	Thiamethoxam	0.091	0.027		ND	Tested
Fipronil	0.091	0.027		ND	Tested	Trifloxystrobin	0.091	0.027		ND	Tested
Flonicamid	0.091	0.027		ND	Tested						

Date Tested: 08/05/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Space Cake

Sample ID: 2607NBL1300.3529

Matrix: Ingestible

Type: Baked Goods

Sample Size:

Date Collected:

Received: 07/23/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#: 296427

Client

TexaKana Organics

Lic. #

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 922-6657 info@txkna.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 07/28/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.5	4.6		ND	Tested
B2	1.5	4.6		ND	Tested
G1	1.5	4.6		ND	Tested
G2	1.5	4.6		ND	Tested
Total Aflatoxins	1.5	4.6		ND	Tested
Ochratoxin A	5.5	18.2		ND	Tested

Date Tested: 08/05/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.098		ND	Tested
Cadmium	0.049	0.098		ND	Tested
Lead	0.049	0.098		ND	Tested
Mercury	0.049	0.098		ND	Tested
Palladium	0.049	0.245		ND	Tested
Selenium	0.049	0.098		<LOQ	Tested

Date Tested: 08/04/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Space Cake

Sample ID: 2607NBL1300.3529

Matrix: Ingestible

Type: Baked Goods

Sample Size:

Date Collected:

Received: 07/23/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#: 296427

Client

TexaKana Organics

Lic. #

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 922-6657 info@txkna.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	75.000	250.000		ND	Tested
Benzene	0.300	1.000		ND	Tested
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Ethanol	75.000	250.000		1077.416	Tested
Ethyl Acetate	75.000	250.000		ND	Tested
Heptane	75.000	250.000		ND	Tested
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Methanol	30.000	100.000		ND	Tested
Isopentane	69.000	230.000		ND	Tested
n-Pentane	30.000	100.000		ND	Tested
Neopentane	69.000	230.000		ND	Tested
2-Propanol	75.000	250.000		ND	Tested
Propane	300.000	1000.000		ND	Tested
Toluene	0.150	0.500		ND	Tested
Ethylbenzene	0.150	0.500		ND	Tested
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested
1,1-Dichloroethene	0.600	2.000		ND	Tested
1,2-Dichloroethane	0.600	2.000		ND	Tested
Ethylene Oxide	1.500	5.000		ND	Tested
Acetonitrile	6.000	20.000		ND	Tested
Chloroform	0.600	2.000		ND	Tested
Ethyl Ether	75.000	250.000		ND	Tested
Dichloromethane	30.000	100.000		ND	Tested
Trichloroethene	6.000	20.000		ND	Tested
2,3-Butanedione	30.000	100.000		ND	Tested

Date Tested: 08/03/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.