New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

TexaKana Chocolate

Sample ID: 2610NBL1938.5271
Matrix: Ingestible
Type: Chocolate
Sample Size:
Date Collected:

Received: 10/29/2026
Completed: 11/19/2026
Expires: 11/19/2027
External Lot ID:
Batch#: 260102

Client
TexaKana Organics
Lic. # 104
6340 N Eldridge Pkwy Suite N115 Houston, TX 77041
(713) 922-6657 info@txkna.com



Summary

Test	Date Tested	Result
Cannabinoids	11/02/2026	Complete
Residual Solvents	11/12/2026	Complete
Microbials	11/05/2026	Complete
Mycotoxins	11/04/2026	Complete
Pesticides	11/04/2026	Complete
Heavy Metals	11/05/2026	Complete
Foreign Matter	10/29/2026	Not Detected

Cannabinoids

Complete

155.882 mg/unit	0.2960%	193.799 mg/unit	349.681 mg/unit
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	4.7027	7.054	ND	ND	ND
9R-HHC	4.7027	7.054	ND	ND	ND
(6aR,9S)-d10-THC	4.7027	7.054	ND	ND	ND
9S-HHC	4.7027	7.054	ND	ND	ND
CBC	4.7027	7.054	ND	ND	ND
CBCa	4.7027	7.054	ND	ND	ND
CBD	4.7027	7.054	193.799	3.67950	0.368
CBDa	4.7027	7.054	ND	ND	ND
CBDV	4.7027	7.054	ND	ND	ND
CBDVa	4.7027	7.054	ND	ND	ND
CBG	4.7027	7.054	ND	ND	ND
CBGa	4.7027	7.054	ND	ND	ND
CBN	4.7027	7.054	ND	ND	ND
CBNa	4.7027	7.054	ND	ND	ND
Δ8-THC	4.7027	7.054	<LOQ	<LOQ	<LOQ
Δ9-THC	4.7027	7.054	155.882	2.95959	0.296
THCa	4.7027	7.054	ND	ND	ND
THCp	4.7027	7.054	ND	ND	ND
THCV	4.7027	7.054	ND	ND	ND
THCVa	4.7027	7.054	ND	ND	ND
Total THC			**155.882**	**2.95959**	**0.296**
Total CBD			**193.799**	**3.67950**	**0.368**
Total			**349.681**	**6.63910**	**0.664**

Date Tested: 11/02/2026
Unit Mass: 52.670 g; 1 Unit = 1 Chocolate Bar
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
11/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

TexaKana Chocolate

Sample ID: 2610NBL1938.5271
Matrix: Ingestible
Type: Chocolate
Sample Size:
Date Collected:

Received: 10/29/2026
Completed: 11/19/2026
Expires: 11/19/2027
External Lot ID:
Batch#: 260102

Client
TexaKana Organics
Lic. # 104
6340 N Eldridge Pkwy Suite N115 Houston, TX 77041
(713) 922-6657 info@txkna.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.102	0.030		ND	Tested	Fludioxonil	0.098	0.030		ND	Tested
Acephate	0.098	0.030		ND	Tested	Hexythiazox	0.098	0.030		ND	Tested
Acequinocyl	0.098	0.030		ND	Tested	Imazalil	0.098	0.030		ND	Tested
Acetamiprid	0.098	0.030		ND	Tested	Imidacloprid	0.098	0.030		ND	Tested
Aldicarb	0.098	0.030		ND	Tested	Kresoxim Methyl	0.098	0.030		ND	Tested
Azoxystrobin	0.098	0.030		ND	Tested	Malathion	0.098	0.030		ND	Tested
Bifenazate	0.098	0.030		ND	Tested	Metalaxyl	0.098	0.030		ND	Tested
Bifenthrin	0.098	0.030		ND	Tested	Methiocarb	0.098	0.030		ND	Tested
Boscalid	0.098	0.030		ND	Tested	Methomyl	0.098	0.030		ND	Tested
Captan	0.394	0.118		ND	Tested	Mevinphos	0.098	0.030		ND	Tested
Carbaryl	0.098	0.030		ND	Tested	Myclobutanil	0.098	0.030		ND	Tested
Carbofuran	0.098	0.030		ND	Tested	Naled	0.246	0.075		ND	Tested
Chlorantraniliprole	0.098	0.030		ND	Tested	Oxamyl	0.098	0.030		ND	Tested
Chlordane	0.079	0.024		ND	Tested	Paclobutrazol	0.098	0.030		ND	Tested
Chlorfenapyr	0.079	0.024		ND	Tested	Methyl Parathion	0.079	0.024		ND	Tested
Chlormequat	0.098	0.030		ND	Tested	Pentachloronitrobenzene	0.079	0.024		ND	Tested
Chlorpyrifos	0.098	0.030		ND	Tested	Permethrins	0.098	0.030		ND	Tested
Clofentezine	0.098	0.030		ND	Tested	Phosmet	0.098	0.030		ND	Tested
Coumaphos	0.098	0.030		ND	Tested	Piperonyl Butoxide	0.098	0.030		ND	Tested
Cyfluthrin	0.079	0.024		ND	Tested	Prallethrin	0.098	0.030		ND	Tested
Cypermethrin	0.079	0.024		ND	Tested	Propiconazole	0.098	0.030		ND	Tested
Daminozide	0.098	0.030		ND	Tested	Propoxur	0.098	0.030		ND	Tested
Diazinon	0.098	0.030		ND	Tested	Pyrethrins	0.492	0.148		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested	Pyridaben	0.098	0.030		ND	Tested
Dimethoate	0.098	0.030		ND	Tested	Spinetoram	0.098	0.030		ND	Tested
Dimethomorph	0.094	0.030		ND	Tested	Spinosad	0.100	0.030		ND	Tested
Ethoprophos	0.098	0.030		ND	Tested	Spiromesifen	0.098	0.030		ND	Tested
Etofenprox	0.098	0.030		ND	Tested	Spirotetramat	0.098	0.030		ND	Tested
Etoxazole	0.098	0.030		ND	Tested	Spiroxamine	0.098	0.030		ND	Tested
Fenhexamid	0.098	0.030		ND	Tested	Tebuconazole	0.098	0.030		ND	Tested
Fenoxycarb	0.098	0.030		ND	Tested	Thiacloprid	0.098	0.030		ND	Tested
Fenpyroximate	0.098	0.030		ND	Tested	Thiamethoxam	0.098	0.030		ND	Tested
Fipronil	0.098	0.030		ND	Tested	Trifloxystrobin	0.098	0.030		ND	Tested
Flonicamid	0.098	0.030		ND	Tested						

Date Tested: 11/04/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
11/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

TexaKana Chocolate

Sample ID: 2610NBL1938.5271
Matrix: Ingestible
Type: Chocolate
Sample Size:
Date Collected:

Received: 10/29/2026
Completed: 11/19/2026
Expires: 11/19/2027
External Lot ID:
Batch#: 260102

Client
TexaKana Organics
Lic. # 104
6340 N Eldridge Pkwy Suite N115 Houston, TX 77041
(713) 922-6657 info@txkna.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	20	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 11/05/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.6	4.9		ND	Tested
B2	1.6	4.9		ND	Tested
G1	1.6	4.9		ND	Tested
G2	1.6	4.9		ND	Tested
Total Aflatoxins	1.6	4.9		ND	Tested
Ochratoxin A	5.9	19.7		ND	Tested

Date Tested: 11/04/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.095		ND	Tested
Cadmium	0.047	0.095		ND	Tested
Lead	0.047	0.095		ND	Tested
Mercury	0.047	0.095		ND	Tested
Palladium	0.047	0.237		ND	Tested
Selenium	0.047	0.095		ND	Tested

Date Tested: 11/05/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
11/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

TexaKana Chocolate

Sample ID: 2610NBL1938.5271
Matrix: Ingestible
Type: Chocolate
Sample Size:
Date Collected:

Received: 10/29/2026
Completed: 11/19/2026
Expires: 11/19/2027
External Lot ID:
Batch#: 260102

Client
TexaKana Organics
Lic. # 104
6340 N Eldridge Pkwy Suite N115 Houston, TX 77041
(713) 922-6657 info@txkna.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	72.115	240.385		ND	Tested
Benzene	0.288	0.962		ND	Tested
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Ethanol	72.115	240.385		ND	Tested
Ethyl Acetate	72.115	240.385		ND	Tested
Heptane	72.115	240.385		ND	Tested
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Methanol	28.846	96.154		ND	Tested
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
2-Propanol	72.115	240.385		ND	Tested
Propane	288.462	961.538		ND	Tested
Toluene	0.144	0.481		ND	Tested
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested
1,1-Dichloroethene	0.577	1.923		ND	Tested
1,2-Dichloroethane	0.577	1.923		ND	Tested
Ethylene Oxide	1.442	4.808		ND	Tested
Acetonitrile	5.769	19.231		ND	Tested
Chloroform	0.577	1.923		ND	Tested
Ethyl Ether	72.115	240.385		ND	Tested
Dichloromethane	28.846	96.154		ND	Tested
Trichloroethene	5.769	19.231		ND	Tested
2,3-Butanedione	28.846	96.154		ND	Tested

Date Tested: 11/12/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
11/19/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.